

PUBLIC ENGLISH READING TRANSLATION

Explanatory note accompanying the disclosed records

Woo dossier: 960865

Dutch source file: Toelichting op besluit (Geanonimiseerd).pdf

Publication date: 4 September 2026

This independent translation makes the Dutch source more accessible to international readers. It is not an official or certified translation. The Dutch source remains authoritative for legal interpretation and exact wording. Tables, columns and visual elements may be simplified. Always verify quotations, figures, section numbers and dates against the original PDF.

Grey redactions and omitted passages in the source were applied by the Municipality of Heerlen. This reading translation does not reconstruct redacted information.

Translation of original page 1

Explanatory note accompanying the disclosed records

When reading the disclosed records, it is important to take the following into account.

- Some documents refer to a Public Smart Safety Center. This was an ambition formulated before the project began. Before PULSE-TWIN actually started, it became apparent that this could not be achieved immediately. During the project, it will be examined whether a Public Smart Safety Center is still possible and, if so, in what form.
- The project plan is ambitious. During implementation, it will become clear which elements are actually feasible. This depends, among other things, on the specific applications that will be developed, the applicable conditions and other internal and external developments that may affect the project. Because this is an innovative project, not all developments can be anticipated in advance. Implementation may therefore differ in certain respects from what was originally described in the project plan.